





Home Improvements Information Pack





Beams

Profile	Product/Code	Standard Length (mm)	Colours Available
D = 100 $F100$ $W = 47$ $F100$	FIRMLOK 100mm FL100	4000 5000 6100 7500 9000 Refer to your state supplier	Caulfield Green Dover White Heritage Red Rivergum Smooth Cream Zincalume Refer to your state supplier
D = 150 $F150$ $W = 47$ $2t$ $2t$ t	FIRMLOK 150mm FL150	4000 5000 6100 7500 9000 Refer to your state supplier	Caulfield Green Dover White Heritage Red Rivergum Smooth Cream Zincalume Refer to your state supplier
D = 200	FIRMLOK 200mm FL200	4000 5000 6100 7500 9000 Refer to your state supplier	Caulfield Green Dover White Heritage Red Rivergum Smooth Cream Zincalume Refer to your state supplier



Brackets

	Profile	Product/Code	Beam Size (mm)	Quantities	Colours Available
0-5°	0 0	UNIVERSAL BRACKET 0-5° FLUB10005 FLUB15005 FLUB20005	100 150 200	Single or box Single or box Single or box	Smooth Cream, Dover White, River Gum, Heritage Red, Caulfield Green, Zincalume Refer to your state supplier for stock quantities.
15°		UNIVERSAL BRACKET 15° FLUB10015 FLUB15015 FLUB20015	100 150 200	Single or box Single or box Single or box	Smooth Cream, Dover White, River Gum, Heritage Red, Caulfield Green, Zincalume Refer to your state supplier for stock quantities.
22.5°		UNIVERSAL BRACKET 22.5° FLUB100225 FLUB150225 FLUB200225	100 150 200	Single or box Single or box Single or box	Smooth Cream, Dover White, River Gum, Heritage Red, Caulfield Green, Zincalume Refer to your state supplier for stock quantities.
0-5°		SUSPENSION BRACKET 0 – 5° FLSB100 FLSB150 FLSB200	100 150 200	Single or box Single or box Single or box	Smooth Cream, Dover White, River Gum, Heritage Red, Caulfield Green, Zincalume Refer to your state supplier for stock quantities.



Brackets

Profile	Product/Code	Beam Size (mm)	Description	Colours Available
15°	APEX BRACKET 15° FLAB100ZL15 FLAB150ZL15 FLAB200ZL15	100 150 200	15° internal fitting bracket, solid one piece. Beams need to be mitred for this bracket.	Zincalume
22.5°	APEX BRACKET 22.5° FLAB100ZL225 FLAB150ZL225 FLAB200ZL225	100 150 200	22.5° internal fitting bracket, solid one piece. Beams need to be mitred for this bracket.	Zincalume
15°	COLLAR TIE BRACKET 15° CPCT10015 CPCT15015	100 150	For connection between horizontal member and rafter. Powder coated high-gloss.	Heritage Red, River Gum, Dover White, Smooth Cream, Caulfield Green Refer to your state supplier
22.5°	COLLAR TIE BRACKET 22.5° CPCT100225 CPCT150225	100 150	For connection between horizontal member and rafter. Powder coated high-gloss.	Heritage Red, River Gum, Dover White, Smooth Cream, Caulfield Green Refer to your state supplier



Roofing

Profile	Product/Code	BMT	Width (mm)	Min. Length (mm)	Max. Length (mm)	Colours Available
29 mm $-762 mm cover$	TRIMDEK TD42	0.42	762	Refer to your state supplier	Refer to your state supplier	Full range of colours available Refer to your state supplier
24 mm 24 mm 24 mm 1 1 700 mm cover →	SPANDEK SD42	0.42	700	Refer to your state supplier	Refer to your state supplier	Full range of colours available Refer to your state supplier
45 mm 45 mm 250 mm cover	FLATDEK FD42	0.42	250	500	9000	Off White/HG Smooth Cream Off White/HG Dover White Rivergum/HG Smooth cream S Cream/HG Smooth Cream
AAA	FLATDEK SKYLIGHT SHEET TSFD24OP TSFD24CL	0.42 0.42	250 250	500 500	9000 9000	Opal Clear



Receiver Channels

Profile	Product/Code	ВМТ	Stock Length (mm)	Colours Available
	FLATDEK RECEIVER	1.0	Refer to your state supplier	Hi Gloss Smooth Cream Hi Gloss Dover White
	FLATDEK RECEIVER CHANNEL FOAM FDF	Silicon impregnated foam. 50mm x 10mm x 2000mm strips	Purchased individually or in packs of 40	Charcoal
A compared of the second secon	FLATDEK CLOSED CELL FOAM INSERT	Silicon impregnated foam. 260mm x 49mm	Profiled to suit FLATDEK® exterior, squeezes into receiver channel to form tight fit	Charcoal
	CUSTOM FLASHING	Choose from the standard	fect finishing touch to any job. I range of LYSAGHT® flashings based on your drawings.	Refer to your state supplier



Posts

Profile	Product/Code	Description	Profile	Product/Code	Description
67 mm square Patio post	PATIO POST Refer to your state supplier FPOST	Attractive fluted aluminium extruded post. High-gloss powder coated. Lengths available: 2400mm, 2700mm 3000mm		POST TOP FPTOP	Fits inside the post to allow connection of the beam via a cuphead bolt.
Patio post foot	POST FOOT Refer to your state supplier FPFOOT	Aluminium cast foot, undrilled holes, 5 high-gloss powder coated colours.			
	90 x 90 POST 75 x 75 POST Refer to your state supplier	Posts available in 2400mm, 2700mm & 3000mm. Foot 175 x 175 x 10 4 hole. Comes in 5 high-gloss powder coated colours.		000	



Gutters

Profile	Product/Code	Description	Colours Available
$ \begin{array}{c} $	GUTTER	Fascia gutter with the choice of optional slotting to allow overflow with heavy rainfall. Made from light hi tensile COLORBOND®. Designed for concealed fixing.	Full range of colours available Refer to your state supplier
	SGCI CLIP SGCI	For mounting to Flatdek roofing, or suspending under roof material.	



Accessories

Profile	Product/Code	Description
	UNIVERSAL CLEAT 140 QFU 140 B	Used inside between rafter & fascia to give a proper connection.
NO WALKING OR STANDING ON ROOF	SAFETY SIGN Label NFT	Aluminium sticker. Weather durable. Silver backing on red & black.



Lysaght, Colorbond, Zincalume, Flatdek, Trimdek, Spandek and Firmlok are registered trademarks of BlueScope Steel Limited, ABN 16 000 011 058.





Information, brochures and your local distributor

1800 641 417

Please check the latest information which is always available at

www.lysaght.com